

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	342	dhcp same mac and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:29
L2	39	dhcp same forward\$3 same (new different\$3) same mac and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:30
L3	35	dhcp same forward\$3 same (new different\$3) same mac and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:31
L5	1	dhcp same forward\$3 same mac and forward\$3 with (new alternat\$3 different\$3) adj3 (id identifeier address) and (@ad<"20001229" @rlad<"20001229") not cobbs.inv.	US-PGPUB; USPAT	OR	ON	2006/01/31 10:48
L6	3575	(state mode) same forward\$3 with (id identifier address) mac and (state mode) same forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:50
L8	2	(state mode) same forward\$3 with (id identifier address) and dhcp and mac and (state mode) same forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:59
L9	1	(state mode) same forward\$3 with (id identifier address) and dhcp and mac and (state mode) same forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229") and (relat\$3 correspon\$4 associat\$2 based accord\$3) with (user client subscriber customer person\$2 individual agent operator)	US-PGPUB; USPAT	OR	ON	2006/01/31 11:13

L10	1	(state mode) same (id identifier address) and dhcp and mac and (state mode) same forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229") and (relat\$3 correspon\$4 associat\$2 based accord\$3) with (user client subscriber customer person\$2 individual agent operator)	US-PGPUB; USPAT	OR	ON	2006/01/31 11:14
L11	0	(first adj state real adj mode) and (id identifier address) and dhcp and mac and forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229") and (relat\$3 correspon\$4 associat\$2 based accord\$3) with (user client subscriber customer person\$2 individual agent operator)	US-PGPUB; USPAT	OR	ON	2006/01/31 11:15
L12	5	(first adj state real adj mode) and (id identifier address) and dhcp and mac and (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229") and (relat\$3 correspon\$4 associat\$2 based accord\$3) with (user client subscriber customer person\$2 individual agent operator)	US-PGPUB; USPAT	OR	ON	2006/01/31 11:40
L13	5	(first adj state real adj mode) and (broadcast arp) and dhcp and mac and (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229") and (relat\$3 correspon\$4 associat\$2 based accord\$3) with (user client subscriber customer person\$2 individual agent operator)	US-PGPUB; USPAT	OR	ON	2006/01/31 11:41
L14	1	(first adj state real adj mode) and (broadcast arp) and dhcp and mac and (new alternat\$3 different\$3) adj3 (mac\$2) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:53
L15	13	(first adj state second adj state) and (broadcast arp) and dhcp and (new alternat\$3 different\$3) adj3 (mac\$2) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:56

L17	0	(first adj state second adj state) and forward\$3 and dhcp and (new alternat\$3 different\$3) adj3 (macid mac adj (id address identifier)) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:56
L18	0	(first adj state second adj state) and dhcp and (new alternat\$3 different\$3) adj3 (mac) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:56
L19	34	(first adj state second adj state) and (new alternat\$3 different\$3) adj3 (mac) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:57
L20	24	(first adj state same second adj state) and (new alternat\$3 different\$3) adj3 (mac) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:57
L21	0	(first adj state same second adj state) and (new alternat\$3 different\$3) adj3 (mac) and dhcp and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 11:57
L22	20	(first adj state same second adj state) and (new alternat\$3 different\$3) adj3 (mac) and (web internet http dhcp) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 12:42
L23	0	first adj3 state with forward\$3 with (id identifier address) and second adj3 state with forward\$3 with (new alternat\$3 different\$3) adj3 (mac) and (web internet http dhcp) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 12:01
L24	0	first adj3 state with (id identifier address) and second adj3 state with (new alternat\$3 different\$3) adj3 (mac) and (web internet http dhcp) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 12:01
L25	0	first adj3 state same (id identifier address) and second adj3 state same (new alternat\$3 different\$3) adj3 (mac) and (web internet http dhcp) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 12:02

L26	0	first adj3 state same (id identifier address) and second adj3 state same (new alternat\$3 different\$3) adj3 (mac) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 12:02
L27	1	(first adj state same second adj state) and (alternat\$3 different\$3 substitute) adj3 (id identifier address) and (dhcp) and mac and(@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 12:50
L28	1	("6502130").PN.	USPAT	OR	OFF	2006/01/31 12:50
L29	1	28 and (alternat\$3 different\$3 substitute new add\$6) adj3 (id identifier address)	USPAT	OR	ON	2006/01/31 13:15
L30	44	real adj mode and (alternat\$3 different\$3 substitute new add\$6) adj3 (id identifier address) and (mac) and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:15
L31	6	real adj mode and (alternat\$3 different\$3 substitute new add\$6) adj3 (id identifier address) and (mac) and dhcp and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:17
L32	4	real adj mode and (alternat\$3 different\$3 substitute new) adj3 (id identifier address) and (mac) and dhcp and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:18
L33	4	real adj mode and (alternat\$3 different\$3 substitute new updated modified replaced) adj3 (id identifier address) and (mac) and dhcp and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:19
L34	1	real adj mode and (alternat\$3 different\$3 substitute new updated modified replaced) adj3 (mac) and dhcp and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:29
L35	5	real adj mode and (alternat\$3 different\$3 substitute new updated modified replaced) adj3 (mac id identifier address module) and dhcp and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:32

L36	304	real adj mode and (alternat\$3 different\$3 substitute new updated modified replaced) adj3 (mac id identifier address module) and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:32
L37	201	real adj mode and (alternat\$3 different\$3 substitute) adj3 (mac id identifier address module) and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:32
L38	2	real adj mode and (alternat\$3 different\$3 substitute) adj3 (mac adj (id identifier address module) and (@ad<"20001229" @rlad<"20001229")	USPAT	OR	ON	2006/01/31 13:32

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	342	dhcp same mac and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:29
L2	39	dhcp same forward\$3 same (new different\$3) same mac and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:30
L3	35	dhcp same forward\$3 same (new different\$3) same mac and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:31
L5	1	dhcp same forward\$3 same mac and forward\$3 with (new alternat\$3 different\$3) adj3 (id identifeier address) and (@ad<"20001229" @rlad<"20001229") not cobbs.inv.	US-PGPUB; USPAT	OR	ON	2006/01/31 10:48
L6	3575	(state mode) same forward\$3 with (id identifier address) mac and (state mode) same forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:50
L8	2	(state mode) same forward\$3 with (id identifier address) and dhcp and mac and (state mode) same forward\$3 with (new alternat\$3 different\$3) adj3 (id identifier address) and (@ad<"20001229" @rlad<"20001229")	US-PGPUB; USPAT	OR	ON	2006/01/31 10:50